SECTION 10A

RANGE REGULATIONS FOR WINANS RANGE- BAY A

These regulations are in addition to the BISLEY RANGE REGULATIONS, which can be found on the NSC website https://www.nscbisley.co.uk/ranges/range-regulations/

	THE RANGE			
Name	Winans – Bay A			
Description	Type: Non Standard Danger area: No Danger Area (NDA)			
	Location (What 3 words): Hosts.Moved.Taps			
	Distance: 5m – 25m			
	Targets:			
	10 turning targets (2 x banks of 5)			
	FIREARMS AND AMMUNITION			
Permitted firearms and ammunition including ME & MV	Type: Rifles and Pistols (including in both cases airguns) • Maximum Muzzle Velocity: 655 m/s (2150 ft/s) • Maximum Muzzle Energy: 2030 J (1496 ft lb) Type: Shotguns • 12 -32 bore (including .410 bore) • Frangible targets: SG or smaller shot			
	Not Permitted:			
	 Shotguns: No4 or smaller shot (excluding NRA approved events) Miniature Cannon 			
	RANGE SAFETY LIMITATIONS			
Coordinating Instructions	 Shooting on this range has no effect on any other ranges A Suitably Qualified Experienced Person (SQEP) is to be appointed as the responsible RO when shooting on Bay A 			
	Rifles and Pistols 3. Maximum of 8 lanes a. Special requirements for NRA competitions Shotguns			
	Slug a. Maximum 4 lanes. 1 x firer within each section			

	5. Shot size No4 – SG
	a. Maximum 3 lanes. 1 x firer on 3 LH sections
Firing Positions	6. Rifle Positions Permitted: a. Sitting b. Kneeling c. Standing d. Benched e. Minimum engagement distance: 10m
	7. Pistol Positions Permitted: a. Standing b. Benched c. Minimum engagement distance: 10m
	8. Shotguns Positions Permitted: a. Slug i. Sitting ii. Kneeling iii. Standing iv. Benched v. Engagement distance: 20m only b. Shot size No4 – SG same as Pistols c. Shot size No5 or smaller shot i. Sitting ii. Kneeling iii. Standing iv. Benched v. Minimum engagement distance: 5m
	9. Changes of position are permitted within any detail or practice outside competition providing all firers follow the same sequence, and in competition in accordance with the conditions
	 10. Fire with movement (i.e. changing location during a detail with a loaded firearm) is permitted within NRA competitions or following NRA approval of the proposed CofF, and then only if: a. The movement area is clearly delineated by objects or markers that do not constitute a trip hazard b. Only one firer is on the range at a time c. All movement is controlled by an RO who is responsible for the practice
	During practical shooting when shooting through an aperture, the muzzle of the firearm is to protrude completely through the aperture a. Own apertures must be approved by the Range Safety team prior to use
Targetry	12. MAX TCH: 1.5m
	Ricochet inducing material used to construct practical courses of fire is to be fully protected sufficiently to prevent ricochet
	14. Hard Targets:
	a. Permission to shoot at hard targets is to be requested at the time of booking

	b.	Minimum engagement distance:
		 i. 7m: No4 shot or smaller (excluding NRA specific events)
	c.	Users are not permitted to provide their own hard targets
	d.	Hard targets are to be put in situ by NRA range staff only and to be placed within area defined by red marker on the bullet catcher defence wall
	e.	Hard targets to be placed no more than 1m up range from the bullet catcher defence wall
	f.	Hard targets are to be placed so not to damage range infrastructure
		prior permission has been obtained from the CE only from the NRA approved set may be used
	16. Targets are to be used in the frames or holders provided and are to be engaged only from the recognised firing points and /or appropriate shooting station or peg. Any deviation from this is to be notified, in writing, and approved by the Range Services Manager	
	17. Clay p	igeons are not to be engaged within Winans Range
A	CCIDENT/IN	CIDENT PROCEDURES
Special Safety Instructions	As per the NRA Range Action Safety Plan which will be initiated by the Range Office on notification of a major incident/accident	